

Alaris mKit

Release notes

version 1.14.0

Copyright © 2005 - 2025 Alarislabs Pte Ltd.
All rights reserved.

The information contained in this document is the property of Alarislabs Pte Ltd. No part of this publication may be reproduced or copied in any form or by any means - graphic, electronic or mechanical including photocopying, recording, taping, or any other information storage and retrieval System - without written consent of Alarislabs Pte Ltd. No third party, organization or individual, is authorized to grant such permission.

1 Enhancements

The following enhancements and improvements have been implemented.

Common features:

- The possibility of integration with Intercom was added for direct interaction of the portal clients with technical support. The necessary settings were added to the Backoffice *Portals* interface.
- Protection against incorrect login of company users (client or reseller company) on a third-party portal has been added.
- Bundled billing is now possible.
- Conditions for hiding *ex* and *message* fields from the API error response depending on the configuration parameter `LOGGER_LEVEL` were added. In case `LOGGER_LEVEL=DEBUG` is specified, the fields will be visible, with any other value they are hidden.
- The Webhook parameter when sending messages via API has been made optional.

BackOffice:

- New interfaces for handling bank details were added: the *Banks* interface for working with banks and the *Bank accounts* interface for working with bank details of client companies were added to the *Account management* section, and the *Own bank accounts* interface for bank details of one's own company (user's company) has been also added to the *Settings* section.
- The *Companies* interface has been updated to view a company profile containing all the basic information about that company and its entities.
- The *Enabled packs* interface has been transferred to the *Enabled services* interface as a tab. The *Enabled initiator* and *Enabled bundle packs* tabs for working with bundles were also added to the interface.
- Protection against creating BackOffice users without permissions has been added: all users are added with the permission to view companies by default, it is not possible to disable this permission.

Client Portal:

- The traffic type breakdown displayed as *P2A* and *A2P*, including *API traffic* has been added in the Channel Sent/Delivered and traffic type widgets of the *Dashboard* interface.
 - The *Conversations* and *EDR* interfaces have been implemented to hide the text of OTP messages sent via API.
 - The operation of the *Statistics* and *EDR* interfaces in the *Statistics* section has been enhanced.
 - The *Dashboard* widget data is now displayed with consideration of the user's timezone.
 - The *Broadcast ID* column has been added to the *EDR* Interface *Statistics* section to display the broadcast ID of the message.
 - One default chatbot can now be created for one channel. The restriction is valid within a company.
 - The statistics on failed messages have been displayed in the chart of the *Statistics* interface.
-

2 Fixed issues

Client Portal:

- We have fixed the error that was returned in the broadcasts to contacts with a large number of attributes resulting from a request length limit overflow due to duplicate contact attributes.
- The *Dynamic tags* column name has been corrected as *Target filters* in the column display customization panel of the *Contacts* interface.
- Email broadcasts no longer freeze if there were recipients who did not have the email specified.
- We have fixed the bug that prevented matching targeting filters from being displayed when filtering contacts.
- The *Statistics* interface no longer displays statistics on remote senders.
- A *User response* node was automatically created in the *Chatbots* interface when creating an *Ask question* node. Now, when creating an *Ask question* node *Condition* nodes, in other cases - *User response* nodes are created.
- Filtering by custom fields in the *Contacts* interface has been fixed.
- Filtering by *Opt-out* column with the *Empty value* in the *Contacts* interface now functions correctly: the list of results doesn't include contacts with Email opt-outs.
- The available emoji list in the WhatsApp template constructor is now displayed correctly.
- The display of files in the Viber constructor of the *Broadcasts* interface has been fixed.

BackOffice:

- We have performed the localization of errors that appear when a rate or balance is not found and when attempts to exceed them are made.
- The *Portals* interface now displays the SVG file previews loaded when editing portal settings.
- The bug that caused wrong filtering by *Type* in the *Pre-moderation* interface has been fixed.
- Unchecking the *Default internal 2FA* checkbox on the 2FA SMS interface side now resets its value in the database, so that now users don't receive an error when self-registering.

Common features:

- The incorrect segmentation of messages sent via SMPP protocol if the source text contained emojis has been fixed.
 - API operation that caused incorrect contact filtering by tags and deleting contacts by Email has been fixed.
-